


AVAILABLE CONFIGURATIONS FOR 19" HORIZONTAL POWER RAILS:



SINGLE INPUT -240VAC-10A WITH 10A CIRCUIT BREAKER

111	10A PLUG	10A SOCKETS
114	10A CAPTIVE PLUG*	10A SOCKETS
118	10A IEC PLUG	10A SOCKETS
311	10A PLUG	10A IEC SOCKETS
314	10A CAPTIVE PLUG*	10A IEC SOCKETS
318	10A IEC PLUG	10A IEC SOCKETS

SINGLE INPUT -240VAC-15/16A WITH 16A CIRCUIT BREAKER

122	15A PLUG	10A SOCKETS
125	15A CAPTIVE PLUG*	10A SOCKETS
129	16A IEC PLUG	10A SOCKETS
322	15A PLUG	10A IEC SOCKETS
325	15A CAPTIVE PLUG*	10A IEC SOCKETS
329	16A IEC PLUG	10A IEC SOCKETS
422	15A PLUG	16A IEC SOCKETS
425	15A CAPTIVE PLUG*	16A IEC SOCKETS
429	16A IEC PLUG	16A IEC SOCKETS

SINGLE INPUT -240VAC-20A WITH 20A CIRCUIT BREAKER


133	20A PLUG	10A SOCKETS
136	20A CAPTIVE PLUG	10A SOCKETS
333	20A PLUG	10A IEC SOCKETS
336	20A CAPTIVE PLUG	10A IEC SOCKETS
433	20A PLUG	16A IEC SOCKETS
436	20A CAPTIVE PLUG	16A IEC SOCKETS

SINGLE INPUT -240VAC-32A WITH 32A CIRCUIT BREAKER

147	32A CAPTIVE PLUG	10A SOCKETS
347	32A CAPTIVE PLUG	10A IEC SOCKETS
447	32A CAPTIVE PLUG	16A IEC SOCKETS




Horizontal Power Rail - 1RU



Horizontal Power Rail - 3RU

Horizontal Power Rail - 2RU



Rear view - Circuit Breaker

HORIZONTAL POWER RAILS



HORIZONTAL POWER RAILS

HPR

The Hallam range of 19" Horizontal Power Rails (HPR) are available in a number of different outlet and plug configurations for installation in racks and cabinets. These units are extremely useful when additional power is required to facilitate multiple units within a rack and installation space is at a premium or when existing power rails are fully utilised.

All outlet faces of Aust or IEC types are conveniently located at the front of the unit with a 6Kva magnetic switched circuit breaker fitted at the rear of all units.



HPR's are manufactured in accordance with Australian and International standards and are fully tested prior to delivery.

A large range of combinations are available ranging from 4 points to 24 points in 1RU to 3RU mounting heights.

**Features:**

- Universal 19" Rack mount
- Distribute power to multiple devices from one power connection
- Design incorporates the latest "PCB" technology
- Power Outlets available in Australian 3 pin & IEC
- Mixed combination of outlets available as a "special"
- Double pole Magnetic switched circuit breakers
- Recessed mounting options
- Optional Surge Protection
- 3 metre power input lead
- Inlet plugs available as standard 3 pin , IEC and "Captive" style .
- Input current ratings of 10 amp, 16 amp, 20 amp and 32 amp
- Outlet range from 4 to 24 points

As with all Hallam products, the HPR range can be customized to your specifications.

See back page for configuration options and contact our sales team with your particular details for an up to date quote .